


**Correia em "V" - LISA**  
**Z (3L) - A (4L) - B (5L) - C**



Canal A (4L)  
Largura de 13mm x altura de 8mm

Canal B (5L)  
Largura 17mm x Altura 11mm

Canal C/22  
Largura de 22mm x altura de 14mm

Canal Z (3L)  
Largura de 10 mm x altura de 6 mm


Referência da Correia	COMPRIMENTO	
	Primitivo Lw(mm)	Interno Li(mm)
Z 23	597	575
Z 24	622	600
Z 25	652	630
Z 26	672	650
Z 27	692	670
Z 27 1/2	722	700
Z 28	732	710
Z 28 1/2	747	725
Z 29	752	730
Z 29 1/2	772	750
Z 30	787	765
Z 31	797	775
Z 31 1/2	822	800
Z 32	842	820
Z 33	847	825
Z 33 1/2	872	850
Z 34	887	865
Z 35	897	875
Z 36	922	900
Z 37	947	925
Z 38	972	950
Z 38 1/2	997	975
Z 39	1022	1000
Z 40	1038	1016
Z 40 1/2	1052	1030
Z 41	1063	1041
Z 41 1/2	1072	1050
Z 42	1082	1060
Z 43	1102	1080
Z 44	1142	1120
Z 45	1172	1150
Z 46	1187	1165
Z 46 1/2	1202	1180
Z 47	1216	1194
Z 48	1237	1215
Z 48 1/2	1247	1225
Z 49	1272	1250
Z 50	1292	1270
Z 51	1317	1295
Z 52	1342	1320
Z 53	1368	1346
Z 54	1393	1371
Z 55	1422	1400
Z 56	1444	1422
Z 57	1472	1450
Z 58	1497	1475
Z 59	1522	1500
Z 60	1546	1524
Z 61	1572	1550
Z 61	1572	1550
Z 65	1673	1651
Z 67	1722	1700

Peso por correia → ≈ 0,074 kg/m.

Referência da Correia	COMPRIMENTO	
	Primitivo Lw(mm)	Interno Li(mm)
A 16	437	407
A 18	487	457
A 19	510	480
A 20	538	508
A 21	565	535
A 22	590	560
A 23	605	575
A 24	640	610
A 25	660	630
A 26	680	650
A 27	716	686
A 28	740	710
A 29	760	730
A 29 1/2	780	750
A 30	797	767
A 31	805	775
A 32	843	813
A 33	871	841
A 34	880	850
A 35	919	889
A 36	944	914
A 37	955	925
A 38	995	965
A 39	1030	1000
A 40	1046	1016
A 41	1071	1041
A 42	1090	1060
A 43	1130	1100
A 44	1150	1120
A 44	1173	1143
A 45 1/2	1180	1150
A 46	1198	1168
A 47	1230	1200
A 48	1250	1220
A 49	1280	1250
A 50	1300	1270
A 51	1330	1300
A 52	1350	1320
A 53	1380	1350
A 54	1405	1375
A 55	1430	1400
A 56	1452	1422
A 57	1480	1450
A 58	1505	1475
A 59	1530	1500
A 60	1555	1525
A 61	1580	1550
A 62	1605	1575
A 63	1630	1600
A 64	1655	1625
A 65	1680	1650
A 66	1706	1676
A 67	1730	1700
A 68	1755	1725
A 69	1780	1750
A 70	1805	1775
A 71	1830	1800
A 72	1855	1825
A 73	1884	1854
A 74	1910	1880
A 75	1930	1900
A 76	1960	1930
A 77	1986	1956
A 78	2010	1980
A 79	2030	2000
A 80	2062	2032
A 81	2090	2060
A 82	2113	2083
A 83	2130	2100
A 83 1/2	2150	2120
A 84	2164	2134
A 85	2190	2160
A 86	2230	2200
A 87	2240	2210
A 88	2270	2240
A 89	2291	2261
A 90	2316	2286
A 91	2341	2311
A 92	2367	2337
A 93	2390	2360
A 94	2418	2388
A 95	2443	2413
A 96	2468	2438
A 97	2494	2464
A 98	2530	2500
A 99	2545	2515
A 100	2570	2540
A 102	2621	2591
A 104	2680	2650
A 105	2697	2667
A 107	2755	2725
A 108	2773	2743
A 110	2830	2800
A 112	2875	2845
A 114	2926	2896
A 116	2976	2946
A 118	3030	3000
A 119	3053	3023
A 120	3078	3048
A 122	3129	3099
A 124	3180	3150
A 126	3231	3201
A 128	3280	3250
A 130	3300	3270
A 132	3380	3350
A 136	3484	3454
A 140	3580	3550
A 144	3688	3658
A 148	3750	3720
A 158	4030	4000
A 162	4100	4070
A 173	4375	4345
A 180	4550	4520

Referência da Correia	COMPRIMENTO	
	Primitivo Lw(mm)	Interno Li(mm)
B 23	610	570
B 24	655	615
B 25	670	630
B 26	690	650
B 27	726	686
B 28	750	710
B 29	765	725
B 30	790	750
B 31	815	775
B 32	840	800
B 33	876	836
B 34	890	850
B 35	929	889
B 36	940	900
B 37	965	925
B 38	1005	965
B 39	1040	1000
B 40	1056	1016
B 41	1080	1040
B 42	1100	1060
B 43	1130	1090
B 44	1160	1120
B 45	1190	1150
B 46	1215	1175
B 47	1240	1200
B 48	1255	1215
B 49	1290	1250
B 50	1315	1275
B 51	1340	1300
B 52	1360	1320
B 53	1390	1350
B 54	1412	1372
B 55	1440	1400
B 56	1462	1422
B 59	1490	1450
B 58	1513	1473
B 59	1540	1500
B 60	1565	1525
B 61	1590	1550
B 62	1615	1575
B 63	1640	1600
B 64	1665	1625
B 65	1690	1650
B 66	1716	1676
B 67	1740	1700
B 68	1765	1725
B 69	1790	1750
B 70	1815	1775
B 71	1840	1800
B 72	1869	1829
B 73	1890	1850
B 74	1920	1880
B 75	1940	1900
B 76	1970	1930
B 77	1990	1950
B 78	2021	1981
B 79	2040	2000
B 80	2072	2032
B 81	2100	2060
B 82	2123	2083
B 83	2140	2100
B 84	2174	2134
B 85	2200	2160
B 86	2240	2200
B 87	2250	2210
B 88	2280	2240
B 89	2301	2261
B 90	2326	2286

Peso por correia → ≈ 0,195 kg/m.



Z/10 →  $L_a \approx L_w + 16,0 \text{ mm};$   
 $L_a \approx L_i + 38,0 \text{ mm};$   
 A/13 →  $L_a \approx L_w + 20,0 \text{ mm};$   
 $L_a \approx L_i + 50,0 \text{ mm};$   
 B/17 →  $L_a \approx L_w + 29,0 \text{ mm};$   
 $L_a \approx L_i + 69,0 \text{ mm};$   
 C/22 →  $L_a \approx L_w + 30,0 \text{ mm};$   
 $L_a \approx L_i + 88,0 \text{ mm};$

$L_a$  = Comprimento externo (mm)  
 $L_w$  = Comprimento primitivo (mm)  
 $L_i$  = Comprimento interno (mm)

Peso por correia → ≈ 0,123 Kg/m

Referência da Correia	COMPRIMENTO	
	Primitivo Lw(mm)	Interno Li(mm)
C 43	1148	1090
C 47	1258	1200
C 48	1273	1215
C 49	1308	1250
C 51	1353	1295
C 52	1378	1320
C 53	1408	1350
C 54	1433	1375
C 55	1458	1400
C 56	1483	1425
C 57	1508	1450
C 58	1533	1475
C 59	1558	1500
C 60	1582	1524
C 61	1608	1550
C 62	1632	1574
C 63	1658	1600
C 64	1678	1620
C 65	1708	1650
C 66	1734	1676
C 67	1758	1700
C 68	1785	1727
C 69	1808	1750
C 70	1836	1778
C 71	1858	1800
C 72	1887	1829
C 73	1912	1854
C 74	1932	1880
C 75	1958	1900
C 76	1988	1930
C 77	2014	1958
C 78	2039	1981
C 79	2058	2000
C 80	2090	2032
C 81	2118	2060
C 82	2141	2083
C 83	2166	2108
C 84	2192	2134
C 85	2217	2159
C 86	2243	2185
C 87	2268	2210
C 88	2298	2240
C 89	2319	2261
C 90	2344	2286
C 91	2375	2317
C 92	2395	2337
C 93	2418	2360
C 94	2446	2388
C 95	2471	2413
C 96	2496	2438
C 97	2522	2464
C 98	2558	2500
C 99	2583	2525
C 100	2598	2540
C 101	2618	2560
C 102	2649	2591
C 104	2700	2642
C 105	2725	2667
C 106	2750	2692
C 108	2802	2744
C 110	2858	2800
C 111	2875	2817
C 112	2903	2845
C 114	2954	2896
C 115	2979	2921
C 116	3008	2955
C 117	3023	2965
C 118	3058	3000
C 119	3075	3017
C 120	3106	3048
C 122	3157	3099
C 124	3208	3150
C 126	3258	3200
C 128	3308	3250
C 131	3375	3317
C 132	3408	3350
C 134	3462	3404
C 136	3508	3450
C 138	3563	3505
C 140	3608	3550
C 142	3665	3607
C 143	3675	3617
C 144	3716	3658
C 146	3767	3709
C 147	3775	3717
C 148	3808	3750
C 149	3825	3767
C 150	3868	3810
C 151	3875	3817
C 156	4008	3950
C 158	4058	4000
C 161	4125	4067
C 162	4158	4100
C 163	4175	4117
C 168	4274	4216
C 167	4308	4250
C 169	4325	4267
C 172	4400	4342
C 173	4452	4394
C 177	4558	4500
C 180	4630	4572
C 187	4808	4750
C 190	4884	4826
C 195	5011	4953
C 208	5358	5300
C 210	5392	5334
C 217	5570	5512

Peso por correia → ≈ 0,377 kg/m.

Referência	Primitivo Lw(mm)	Interno Li(mm)